



Most Widely Accepted and Trusted

ICC-ES Listing Report

ESL-1096

ICC-ES | (800) 423-6587 | (562) 699-0543 | www.icc-es.org

Issued 05/2017
This listing is subject to renewal 09/2017.

DIVISION: 06 00 00—WOOD, PLASTICS AND COMPOSITES
SECTION: 06 50 00—STRUCTURAL PLASTICS
SECTION: 06 53 00—PLASTIC DECKING

REPORT HOLDER:

CALI BAMBOO, LLC

**6675 MESA RIDGE ROAD, SUITE 100
SAN DIEGO, CALIFORNIA 92121**

EVALUATION SUBJECT:

CALI BAMBOO COMPOSITE DECKING – TRUORGANICS™ 3G



Look for the trusted marks of Conformity!

“2014 Recipient of Prestigious Western States Seismic Policy Council (WSSPC) Award in Excellence”



A Subsidiary of  **ICC**
INTERNATIONAL
CODE COUNCIL™

ICC-ES Evaluation Reports are not to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as an endorsement of the subject of the report or a recommendation for its use. There is no warranty by ICC Evaluation Service, LLC, express or implied, as to any finding or other matter in this report, or as to any product covered by the report.



ICC-ES Listing Report

ESL-1096

Issued May 2017

This listing is subject to renewal September 2017.

www.icc-es.org | (800) 423-6587 | (562) 699-0543

A Subsidiary of the International Code Council®

CSI: DIVISION: 06 00 00—WOOD, PLASTICS AND COMPOSITES
Section: 06 50 00—Structural Plastics
Section: 06 53 00—Plastic Decking

Product Certification System:

The ICC-ES product-certification system includes evaluating reports of tests of standard manufactured product, prepared by accredited testing laboratories and provided by the listee, to verify compliance with applicable codes and standards. The system also involves factory inspections, and assessment and surveillance of the listee's quality system.

Product: CALI BAMBOO COMPOSITE DECKING – TRUORGANICS™ 3G

Listee: CALI BAMBOO, LLC
6675 MESA RIDGE ROAD, SUITE 100
SAN DIEGO, CALIFORNIA 92121
(858) 800-3846
www.calibamboo.com

Evaluation: The Cali Bamboo Composite Decking - TruOrganics™ 3G deck boards were evaluated when tested at 1 inch (25.4 mm) nominal thickness to the following standards:

- ASTM E84-2013a, Standard Test Method for Surface Burning Characteristics of Building Materials, ASTM International.
- UL 723-2008 (with Revisions through September 2010), Standard for Test for Surface Burning Characteristics for Building Materials, Underwriters Laboratories, Inc.

Findings: The Cali Bamboo Composite Decking - TruOrganics™ 3G deck boards have a flame-spread index less than 200, based on testing in accordance with ASTM E84/UL 723, and is limited to exterior use, as referenced in the applicable sections of the following code editions:

- 2015 *International Building Code*®
Applicable Section: 2612.3
- 2015 *International Residential Code*®
Applicable Section: R507.3.2

Identification: The Cali Bamboo Composite Decking - TruOrganics™ 3G deck boards described in this listing report is identified by a label on the packaging, bearing the Cali Bamboo, LLC, name and address, the product name, the allowable span, the ICC-ES evaluation report number (ESR-4087) and/or the listing report number (ESL-1096), and when applicable, the ICC-ES Listing Mark.

Installation: The product must be installed in accordance with the Cali Bamboo, LLC's published installation instructions and applicable codes.

Conditions of listing:

1. Additional attributes and their applications can be found in the ICC-ES Evaluation Report, ESR-4087.
2. The listing report addresses only conformance with the standards and code sections noted above.
3. Approval of the product's use is the sole responsibility of the local code official.
4. The listing report applies only to the materials tested and as submitted for review by ICC-ES.